

# Aspherical Lenses

## Product Information

Due to the unique profile, aspherical lenses eliminate monochromatic aberrations (e.g. spherical aberrations) and lead to a better overall image quality. They are increasingly used to replace multi-spherical element assemblies resulting in a weight reduction as well as in a more compact design.

## Advantages

- SCHOTT masters the entire value chain from raw glass to aspherical coated lenses
- Custom designed products at competitive prices
- 1 piece to series production levels
- Coating: all lenses can be coated to a specific custom design



## Materials

- Optical glass
- Fused silica
- Other materials on request

## Applications

- Digital projection, camera, binocular
- High power laser lenses collimation
- Endoscopy
- Microscopy
- Focusing optics for Head Up Displays

Attribute	CNC machining and polishing		
	Commercial	Precision	High Precision
Diameter	15 – 180 mm	15 – 160 mm	15 – 140 mm
Diameter tolerance*	± 0.1 mm	± 0.05 mm	± 0.02 mm
Center thickness*	3 – 40 mm	3 – 40 mm	5 – 40 mm
Radius of curvature convex*	> 10 mm	> 20 mm	> 30 mm
Radius of curvature concave*	On request	On request	On request
Tolerance on radius of curvature*	± 0.5 %	± 0.1 %	± 0.05 %
Surface flatness (PV, asph. side)*	2 µm	0.5 µm	0.2 µm
Irregularity (PV, spherical side)*	1 µm	0.2 µm	0.1 µm
Tilt from asph. side to other side*	< 6 arc min	< 3 arc min	< 1 arc min
Surface roughness – Rq*	< 5 nm	< 3 nm	< 1.5 nm
Surface quality (scratch & dig) (5/NxA)*	60/40 5/6 x 0.25	40/20 5/3 x 0.25	10/5 5/3 x 0.025
Typical volume	From 1 piece to series production		
Slope tolerance	Considered in reference to your specification		

\* Depending on customer's specifications. Please call sales representative.

3D Metrology: available upon request



Advanced Optics  
**SCHOTT AG**  
 Hattenbergstrasse 10  
 55122 Mainz  
 Germany  
 Phone +49 (0)6131/66-1812  
 Fax +49 (0)3641/2888-9047  
 info.optics@schott.com

[www.schott.com/advanced\\_optics](http://www.schott.com/advanced_optics)

**SCHOTT**  
 glass made of ideas