

# MATERIAL SAFETY DATA SHEET

# SCHOTT

**Nexterion® Slide A+**

Dok-Nr.:	LS6-HCF-S-003
Version:	1.0
Seite:	1/5
Datum:	© September 2006

1	General Information.....	2
2	Composition / information on ingredients .....	2
3	Physical data.....	2
4	Fire and explosion hazard data .....	3
5	Health hazard data .....	3
6	Spill, leak and disposal.....	3
7	Special protection information .....	4
8	Special precautions and comments.....	4
9	Special precautions and comments.....	5

**This document is electronically approved and without signature, the persons taken part in the release procedure, valid.  
Authorized expressions from the data processing system are not invalid in principle**

# MATERIAL SAFETY DATA SHEET



## Nexterion® Slide A+

Dok-Nr.:	LS6-HCF-S-003
Version:	1.0
Seite:	2/5
Datum:	© September 2006

## 1 General Information

Manufacturer: SCHOTT JENA<sup>er</sup> Glas GmbH  
Address: Otto-Schott-Straße 13, D-07745 Jena  
Phone: +49-(0)3641-681-91966

Product Name: Nexterion Slide A+  
Chemical Name: Aminosilane Coated Borosilicate Glass  
C.A.S. Number: None  
Date effective: 01.10.2004

## 2 Composition / information on ingredients

Chemical Name	Percent	Reg.* (Y/N)	Cas#	OSHA (PEL)	ACGIH (TLV)	Carc. (Y/N)
Silica	75 – 85	Y	014808607	0.1mg/m <sup>3</sup>	0.1mg/m <sup>3</sup>	N
Boron Oxide	10 – 20	Y	001303862	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>	N
Alumina	1 – 5	Y	001344281	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>	N
Sodium Oxide	1 – 5	N	1313593	N/A	N/A	N
Potassium Oxide	0 – 2	N	12136457	N/A	N/A	N

\*Regulated as per lists: OSHA 29CFR 1910 Subpart Z: ACGIH; NTP and IARC

One glass slide contains approximately 4 to 5 x10<sup>14</sup> amino groups per cm<sup>2</sup> surface area.

## 3 Physical data

Boiling Point: not applicable  
Vapor Pressure: not applicable  
Vapor Density: not applicable  
Solubility in Water: not applicable  
Specific gravity: 2.2 – 2.3 g/cm<sup>3</sup>  
Melting Range: 510 – 550°C  
Physical State: solid with a density between 2.2 to 2.3 g/cm<sup>3</sup>  
Appearance and odor: in plates with various thickness, no odor

This document is electronically approved and without signature, the persons taken part in the release procedure, valid.  
Authorized expressions from the data processing system are not invalid in principle

# MATERIAL SAFETY DATA SHEET



Nexterion® Slide A+

Dok-Nr.:	LS6-HCF-S-003
Version:	1.0
Seite:	3/5
Datum:	© September 2006

## 4 Fire and explosion hazard data

Flash Point:	not applicable
Auto Ignition Temperature:	not applicable
Flammable Limits % Vol. in Air:	not applicable
Extinguishing Media:	non-combustible material
Special Fire Fighting Procedures:	Use extinguishing media that is appropriate for the classification of surrounding fire. Inorganic glass is non-combustible.
Unusual Fire and Explosion Hazards:	There is the possibility of flying glass fragments if hot glass comes in contact with water or carbon dioxide extinguishing media.

## 5 Health hazard data

Inhalation:	Acute: Respiratory irritation. Chronic: Possible pneumoconiosis effects
Ingestion:	Ingestion's may cause vomiting, diarrhea, depressed circulation and in severe cases shock, coma, paralysis and cyanosis.
Skin:	Ground glass particles and dust may cause irritation.
Eye:	May cause irritation.
First Aid:	Inhalation: Remove to fresh air. Seek medical attention. Ingestion: Seek medical attention.  Skin: Wash with soap and water. Seek medical attention if irritation permits.  Eye: Flush well with running water. Seek medical attention if irritation permits.

This document is electronically approved and without signature, the persons taken part in the release procedure, valid.  
Authorized expressions from the data processing system are not invalid in principle

# MATERIAL SAFETY DATA SHEET



Nexterion® Slide A+

Dok-Nr.:	LS6-HCF-S-003
Version:	1.0
Seite:	4/5
Datum:	© September 2006

## 6 Spill, leak and disposal

Spill or Leak Procedures:

No special precautions.

Waste Disposal:

Follow Federal State and local regulations.

## 7 Special protection information

Engineering Controls:

Use local exhaust ventilation, hood or equipment enclosure to avoid dispersal of fibrous or other glass particulars into the workplace air.

Personal Protective Equipment:

Respiratory - if glass dust or particulars are above the OSHA permissible exposure limits use a NIOSH approved respirator for dust and fibers. Eye protection – industrial safety glasses that meet ANSI Z87 standards. Protective gloves – recommended gloves for protection from sharp edges.

## 8 Special precautions and comments

Reactivity:

Borosilicate glass is a stable material. As a particular chemically resistant glass it is inert to many chemicals (including acidic and basic solutions), but it may react to hot, strong alkaline solutions and – like all glasses - with concentrated very aggressive hydrofluoric and phosphoric acids. Hazardous decomposition or byproducts may emit metal oxide fumes when heated to high temperatures.

Comments:

Inorganic borosilicate glass is an amorphous, inorganic, usually transparent or translucent substance, consisting of a mixture of silicates, alkaline components, and/or borates formed by fusion of silica and various types of oxides with a flux and a stabilizer into a mass that cools to a rigid condition without crystallization.

This document is electronically approved and without signature, the persons taken part in the release procedure, valid.  
Authorized expressions from the data processing system are not invalid in principle

# MATERIAL SAFETY DATA SHEET



Nexterion® Slide A+

Dok-Nr.:	LS6-HCF-S-003
Version:	1.0
Seite:	5/5
Datum:	© September 2006

## 9 Special precautions and comments

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

### Abbreviations used:

ACGIH: American Conference of Governmental Industrial Hygienists  
CERCLA: Comprehensive Environmental Response, Compensation and Liability Act  
CFR: Code of Federal Regulations  
DSL: Canadian Domestic Substance List  
EPA: Environmental Protection Agency  
HEPA: high Efficiency Particulate Air  
HMIS: Hazardous Material Identification System  
IARC International Agency for Research on Cancer  
NDSL: Non Canadian Domestic Substance List  
NFPA: National Fire Protection Association  
NIOSH: National Institute of Occupational Safety and Health  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
RCRA: Resource Conservation and Recovery Act  
RQ: Reportable Quantities  
SARA: Superfund Amendments and Reauthorization Act  
TLV: Threshold Limit Value  
TPQ: Threshold Planning Quantity  
TSCA: Toxic Substance Control Act  
WHMIS: workplace Hazardous Materials Information System

© October 2004

**This document is electronically approved and without signature, the persons taken part in the release procedure, valid.  
Authorized expressions from the data processing system are not invalid in principle**